

OS24lite Arthroscopy of the Wrist

Expires end of December 2019

A more detailed version of this procedure specific information sheet is available. Please ask your health practitioner at Joondalup Health Campus for a copy.

Write questions or notes here:



**HEALTH CONSUMERS'
COUNCIL**
YOUR VOICE ON HEALTH

This document will give you information about an arthroscopy of the wrist. If you have any questions, you should ask your GP or other relevant health professional.

What is an arthroscopy of your wrist?

An arthroscopy (keyhole surgery) involves examining the inside of your wrist joint using a telescope inserted through small cuts on your skin. Your surgeon should be able to treat some problems using special surgical instruments.

What are the benefits of surgery?

The aim is to confirm exactly what the problem is and, for many people, the problem can be treated at the same time.

Are there any alternatives to surgery?

Problems inside a joint can often be diagnosed using tests such as CT and MRI scans. However, you may then need an arthroscopy to treat the problem.

What does the operation involve?

Various anaesthetic techniques are possible. The operation usually takes about 20 minutes. Your surgeon will usually make about two to four small cuts around the joint. They will insert a small telescope through one of the cuts so they can examine the joint. They will insert surgical instruments through the other cuts if they need to treat any problems with the joint (see figure 1).

What complications can happen?

1 General complications

- Pain
- Bleeding
- Infection of the surgical site (wound)
- Unsightly scarring

2 Specific complications

- Bleeding into the joint
- Infection in your wrist joint
- Severe pain, stiffness and loss of use of your arm and hand (complex regional pain syndrome)
- Damage to nerves
- Damage to tendons




Figure 1
An arthroscopy of the wrist

How soon will I recover?

You should be able to go home the same day. The physiotherapist may give you exercises and advice to help you to recover from the operation. It can take a few weeks to get back to normal activities.

Regular exercise should help you to return to normal activities as soon as possible. Before you start exercising, ask the healthcare team or your GP for advice.

Most people have a major improvement but it takes time for pain to lessen and movement to increase. Symptoms often come back with time.

Summary

An arthroscopy of your wrist allows your surgeon to diagnose and treat problems affecting the joint, without the need for a large cut on the skin. This may reduce the amount of pain you feel and speed up your recovery.

Acknowledgements

Author: Prof Adam Watts MBBS FRCS (Tr. & Orth.)

Illustrations: Medical Illustration Copyright ©

Medical-Artist.com

This document is intended for information purposes only and should not replace advice that your relevant health professional would give you.